

LCB Electrical Diagram

(15-5032-1402 E)

Written by: Cold Box Manufacturer: PHPK	Distribution : JLAB AL project team
Reviewed by Technical Manager: Gilles Flavien gilles.flavien@airliquide.com	

MODIFICATIONS RECORDING

ISSUE OF MODIF	DATE	WRITTEN BY	CHECKED BY	EVOLUTION OF THE DOCUMENT (Updated pages)	JUSTIFICATION OF THE MODIFICATION
		Note:	Recording of mo	difications are included in document	

CHG. DATE DWN. CH'KD. ENGR. REV'D	DESCRIPTION
CHG. DATE DWN. CH KD. ENGR. REV D - - - - - - -	
REAL ROAD REAL R	SELECTOR SWITCH SELECTOR SWITCH SELECTOR SWITCH SELECTOR SWITCH SELECTOR SWITCH SELECTOR SWITCH SELECTOR SWITCH SS SS SS SS SS SS SS SS SS SS SS SS SS
OUTPUTS RESENT CLUPPY PRESZ-120 PRESZ-10	SWITCHES AND PUSHBUTTON SECTORS SWITCH ADDALLY OUTXO SS SS SS SS SS SS SS SS SS S
	AND PUSHBUTTONS
Workwerk Workw	NORMATT, CTORED NORMATT, CTORE
	NORMALLY PROGRAMMAGE HOUSE HOU
TATESONIAL ATESONIAL	MISCELL NORMALY RESSURE SWITCH
AND CONNECTING CONNECTING FEED THROUGH GROUND GROUN	
CONNECTORS NORECTOR → NARECTOR → NARECTOR → HERM → HERM → HERM → HERM	NORMALLY FOOT SWITCH FOOT SWITCH FOOT SWITCH FOOT SWITCH FOOT SWITCH FIS FIS FIS FIS FIS FIS FIS FIS FIS FIS
	NORMALLY CLOSED
DISCONNECT VERTICAL DISCONNECT VERTICAL DISCONNECT VERTICAL DISCONNECT CIRCUTE BELAKER DISCONNECT CIRCUTE BELAKER DISCONNECT CIRCUTE BELAKER DISCONNECT CIRCUTE DISCONNECT DISCONNECT CIRCUTE DISCONNECT DISCONNE	

S ARE PROVIDED PRIOR TO TREATMENTS UNLESS NOTED.	8/30/2016	SPW ANGULAR	MJA TOLERANCES	WORK ORDER CONTRACT	3 BREAKER -	CBRCUIT BREAKER	o o BREAKER	CBTH HEATERS	BREAKERS		TRANSFORMER	TRANSFORMER	
SCALE NONE	B B	-		I NO. PART	-				Ro XXX	XXXX ×			
т	15-51	LCLS-II	PHPK T	T NUMBER NO.	• ALL FIELD • OMITTED FOR C COMPLY WITH N BODY HAVING J	 ALL 24 VC BE #16 AWG I OF WIRE TO C AWG UNLESS AWG UNLESS AWG UNLESS AIL PANFI 	 ALL 120 V ALL 120 V #12 AWG RED NEUTRALS TO ALL 120 V BREAKERS OR UNLESS OTHEF TO BE WHITE. 	<u>GENE</u> • ALL 240/480 #12 AWG BLACK U		INDICAT OUTSIDI INTERN	VERTICAL VERTICAL		
	5032-1402	-II 4.5K LOWER COL ELECTRICAL LEGEND	TECHNOLOGIES S PLACE COLUMBUS, OHIC	· REQ'D	D WIRE IS TO BE TYPE THHN. TO INDVIDUAL DEVICES CLARITY, ALL WIRING TO H NEC AND ANY GOVERNING JURISDICTION.	ic or lower w Blue with the Onnectors ca Otherwise not	 ALL 120 VAC POWER WIRING IS TO BE #12 AWG RED UNLESS OTHERWISE NOTED. NEUTRALS TO BE WHITE ALL 120 VAC WIRING FED FROM 10A BREAKERS OR LESS TO BE #16 AWG RED UNLESS OTHERWISE NOTED. NEUTRALS TO BE WHITE. 	<u>GENERAL NOTES</u> • ALL 240/480 VAC WIRE IS TO B #12 AWG BLACK UNLESS OTHERWISE NOTED.	ferminal Supplied Val Feed	MISC. LEGEND E EXTERNAL WIRE PULL E OF CONTROL ENCLOSURE. AL LETTER INDICATES PULL TES TERMINAL BLOCK			MISCELLANEOUS ef horizontal se potennometer ter
SHEET 1	2	COLD BOX	OGIES BUS, OHIO	NEXT ASSEMBLY	TYPE THHN REVICES GOVERNING	VIRE IS TO EXCEPTION N BE 20 ED ON PULL	NG IS TO BE (WISE NOTED. FROM 10A 16 AWG RED NEUTRALS	<u>"ES</u> s to be Ierwise	NUMBER) ENCLOSURE -THROUGH WIR	PULL S PULL CK		BOLT	
0F 17	E g		43204	SIZE	1		0.5 m		m				

			REVISIONS	
CHG. DATE	DWN. CH'KD. ENGR. REV'D		DESCRIPTION	
2042 2043 2044 2045	2035 2036 2037 2038 2039 2040 2040	2022 2023 2024 2026 2026 2028 2028 2029 2030 2031 2031 2032 2033	2008 2010 2011 208 VAC 3 PHASE 2012 2 KVA TOTAL 2013 6 AMP FUSES REQUIRED 2014 2015 2016 2017 2018 2019 2020	2001 2002 2003 2004 2005 208 VAC 3 PHASE 2006 2 kVA TOTAL 2006 6 AMP FUSES REQUIRED 2007
			CXI202 (XI205 (XI205 (ROUND	CXL-TB18 14 AWG CXL201 0 18-1 18-2 0 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-2 18-1 19-2 18-2 18-1 19-2 18-2 19-2
2092 2093 2094 2095	2085 2086 2087 2088 2089 2091	13 AMP 208 VAC 2000 VA	2058 2060 2061 2062 2063 2064 2065 2064 2065 2066 2066 2066 2066 2066 2066 2067 2068 2068 2068 2069 2070 208 VAC 1 PHASE 2069 2070 208 VAC 1 PHASE 2070 208 VAC 1 PHASE 2069 2070 208 VAC 1 PHASE 2069 2070 208 VAC 1 PHASE 2069 2070 208 VAC 1 PHASE 2069 2069 2069 2069 2069 2069 2069 2069	SEE 15-5032-0034 FOR HEATER 2051 2053 2053 2054 2054 2055 208 VAC 1 PHASE 2056 2000 VA TOTAL HEATER EH-22465B-A 2056 2056 15 AMP FUSES REQUIRED 2056 2056 2057 2057
MAR XX TITLE LCLS-II 4.5K LOWER COLD BOX SPW ANGULAR SIZE DRAWING NO. HEATERS 8/30/2016 B 15-5032-1402 INS ARE PROVIDED PRIOR TO TREATMENTS UNLESS NOTED. SCALE NONE SHEET 2	GROUND 18-16 1	CX.356 18-12 ● CX.357 ● 18-13 ● CX.358 ● 18-13 ● ● CX.358 ● 18-14 ● ● ● CX.358 ● 18-14 ● ● ● ● CX.358 ● 18-14 ● ● ● ● ● EH-22195D 208 WAC 2 MA EA 2 MA EA 2 MA CX.358 ● 18-14 ● ● ● ● 1 MA EA 2 MA EA 2 MA	D CXL353 (XL353) (R-9) (R-11) (R-9) (R-11) (R-9) (R-11) (R-9) (R-12795B 208 VAC 208 VAC	CXL-TB18 12 AWG CXL351 (CXL351 (CXL351 (RL351 (RL351 (RL352) (RL352) (RL352) (RL352) (RL352) (RL352) (RL352) (RL352) (RL351)

	DATE –	DWN.	СН'КС —	. ENGR	. REV'D	-												DES	SCRIP1											
3044	3042 3043	3040 3041	3039	3037	3035 3036	3033	3031	3030	3028 3029	3027	3025 3026	3024	3023	3021 3022	3020	3019	3017	3016	3015	3013 3014	3012	3011	3010	3008	3007	3006	3005	3004	3003	3002
	TEMPERATURE			OUTLET TEMPERATURE	HX-6 LPL		INLET INLET TEMPERATURE				HX-5 LPL INLET TEMPERATURE				HX-4 LPL INLET TEMPERATURE				HA-4 LPL INLET TEMPERATURE											
	10/K16	Ģ		10/K16	TD-22147-A	10/113			TD-22140-B	10/H15		TD-22140-A		10/F15		TD-22130-B		10/F15			TD-22130-A	10/F15			TD-22125-B		10/F15			TD-22125-A
				K 			-K: 				∙K∖r ·				- 			-	+K + 				+K + 					K + - +		>
						•			1		* * • •		:				÷)				1					
	¥ ¥	¥ ¥	¥ ¥ 			Ť	* *		* ¥ 	*	¥¥		:	* *		¥	¥ * 	* *	* *			¥	¥ `				' ¥			
			 -1						 									11A⊂-M	11A-L						 				11A-A	
		= = :	±' ±				- 1	<u> </u>							رايت ر	- Ā. L. J	P. P.	↓ <u>₹</u>	↓ Ā	/ Ā//		5 I. 75	A P		/ Ā.	. N .	. .	, Ā,	· 7	12
					11B→A	11A-d	11A_b	11A-0		11A-X	11A-W	11A-V	11A-U	11A-T	113-S	11A-R		× ≤	* <u>⊢</u> * 	11A-K		11A-H	11A-G	11A-F	11A-E	11A-D	11A-C	11A-B	`>`` 	CXL-TB11
 	3092 3093	3090 3091		3087			3081	3080	3078 1A-Z 3079	3077	3076	3074		3072	3070	3069	-N 3067	3066	3065	3064	3062	3061	3060	3059 3058			3055	3054	3053	
 	3092 TEMPERATURE	3090 3091 SUB-ATMOSPHERIC RETURN	3089	3087 TEMPERATURE	3085 3086 SUB-ATMOSPHERIC	3083	3081 BY-PASS OUTLET 3082 TEMPERATURE	3080 COLD END	3078	3077	3075 SUTER SUTER	3074 COLD END	3073	30/1 TEMPERATURE	3070 INTERCEPT	3069 TURBINE 3 +		3066 IEMPERATURE	3065 INTERCEPT	3064 TURBINE 3 +	3062	3061	3060 TEMPERATURE	3059 HX-7 PI	3057		3055 IEMPERALURE	3054 HX-7 LPL	3053	3052
 	3092 3093	3090 3091	3089	3087			3081 BY-PASS OUTLET 3082 TEMPERATURE	3080 COLD END		3077	3076	3074	3073	3072	3070	3069		3066	3065	3064 TURBINE 3 +			3060	3059 HX-7 PI			3055 IEMPERALUKE	3054	3053	
3094	3092 TEMPERATURE 3093 12/H20	3090 3091 SUB-ATMOSPHERIC RETURN	3089	3087 TEMPERATURE	3085 3086 SUB-ATMOSPHERIC	3083	3081 BY-PASS DIODE	3080 COLD END	3078 TD-22189-B	3077 12/F20	3075 SUTER SUTER	3074 ID-22189-A /	3073	30/1 TEMPERATURE 12/018	3070 INTERCEPT	3069 TURBINE 3 +	3067	3066 IEMPERATURE 12/D18	3065 INTERCEPT	3064 TURBINE 3 +	3062	3061	3060 TEMPERATURE DIODE	3059 HX-7 PI	TD-22160-B	3056			3053	3052
3094	3092 TEMPERATURE	3090 TD-22190-B	3089	3087 TEMPERATURE	3085 TD-22190-A () 3086 SUB-ATMOSPHERIC	3083	3081 BY-PASS DIODE IN INTERIOR DIODE	3080 COLD END	3078	3077 12/F20	3076 TEMPERATURE DIODE		3073	3071 TEMPERATURE 12/D18		3069 TURBINE 3 +	3067	3066 IEMPERATURE 12/018	3065 INTERCEPT DIODE	3064 TURBINE 3 +	3062 TD-22180-A	3061 10/L16	3060 TEMPERATURE DIODE		TD-22160-B →	3056			3053	3052

. LBS WEIGHT DRAWN CHECKED ENGINEER REVIEWED INEL. DATE IEL. DATE

		_		<u> </u>	-					
TREATMENTS UNLESS NOTED	~		SPW	MJA		SPW	MJA	WORK ORDER		
S UNLES	8/30/2016		ANGULAR	XX	×	FRACTION	TOL	DER		
S NOTED	016		R	+	_	N	TOLERANCES	CONTRACT NO.		
Ŀ			4			\land				
SCALE NONE	В	SIZE			1			ē.		
NONE	<u> </u>	DRAWING NO.				2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER	•	
	15-5032-1402	ō		LCLS-II 4.5K LOWER COLD BOX			オ			
	503		TEMPERATURE SENSORS	4.5ł			TEC	NO. REQ'D	•	
	$\frac{N}{1}$			6		CE O	H	EQ'D		
	140		SEN	NER			IOI	NEXT ASSEMBLY		INFORMATION DRAWING IS THE SOLE PF AND IS NOT OR TRANSMITT IZED PARTIES.
SHE	02		SORS	COLD		IBUS,	00	ASSE		ION S PROF OT TO MITTED IES.
SHEET 3 OF 17				BOX		OHO E	SH	.MBLY		INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
ନ		Q				43				TARY NAUTH
17	F	CHG.				204		SIZE	•	AND AND OSED
			-		-					

	DA	_		D	-		Н'К[_		IGR –		EV'D	-	-																				DES	SCRI	PTI	NC													
2045	2044	2043	2042	2041	2011	2040	2039	2038	2037	2036	2035	2034	2033	2002	2000	20.31	2030	2029	2028		2027	2026	2025	2024	2023	2022	2022	2021	2020	2019	2018	2017	2010		2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2000	2003	2002
			INLET	HX-4 LPR					INLET	HX-4 LPR					TEMPERATURE	HX-3 LPR						OUTLET					TEMPERATURE	(SUBCOOLER)	LHE PHASE				IEMPERAIURE		SEPARATOR	LHF PHASF				INIERCEPI RETURN	COLD				TEMPERATURE	INTERCEPT	COLD		
		10/F12									TD-22230-A														· 、		12/H17				 *			+K - (•)			TD-22193-A					TD-22191-B						TD-22191-A	N
۲-	¥ 		, , , , , , , , , , , , , , , , , , ,			¥ 	11	110-x	11D-W				11D-U	, 11Ď-T			11D-R				11D-M	110-L	- 11U-K	*		≯ 11D-J	110-H	1 11D-G	- 11U-F			11D-D	11D-C			11D-A	, ,	11C-d	11C-c	11С-ь			¥ + - + - + - + - + - + - + - + -	→ 11C-Y	≯ 11C-x	11C-w	11C-v	¥ 	CXL-TB11
	11D-d	110-0	110-ь	¥ 2			11D-Y	′ ×	× <														· *																										
L L		4093	4092	4091	4090			4088	4087	4086		4084	U 4083	4082	4081	+000		4079	4078	4077		2016	4075	»,	4073	4072		+0/0			4068	4067	4066	4065 TEMPERAT		4064	4063	4062				4058	4057	4056	4055 IEMPERAI				1
	4094	4093		4091		+COU		4088 10/C6		4086				4082 10/J12		HX-6 LPR	4080	4079 TD-22247-B	4078	4077			4075 HX_6 IDP		4073	4072	10/E5		WARM SHIELD				10/E5	4065 TEMPERATURE DIODE	WARM SHIELD		TD-22245-A	4062	10/H12 /		HX-5 LPR	4058 TD-22240-B	4057	4056	IEMPERATURE				

REL. DATE DIMENSIONS SURFACE TR ENGINEER REVIEWED . LBS WEIGHT DRAWN CHECKED

		_							
TREATMENTS UNLESS NOTED			SPW	MJA	SPW	MJA	WORK ORDER	•	
s unles	8/30/2016		ANGULAR	.xx .	FRACTION	TOL	DER		
PRIOR TO SS NOTED.	2016		AR	\times	N	TOLERANCES	CONTRACT NO.	•	
SCALE NONE	В	SIZE		TITLE			ō.		
NONE	15-	DRAWING NO.		LCLS-I	2111 BUILDER	PHPK	PART NUMBER	•	
	15-5032-1402		PERATURE	1 4.5K LO	S PLACE (TECHN	NO. REQ'D	•	INF DRA THE AND IZEL
SHEET 4	1402		TEMPERATURE SENSORS	LCLS-II 4.5K LOWER COLD BOX	2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	NEXT ASSEMBLY	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
SHEET 4 OF 17	F	CHG.) 43204		SIZE	•	I ON THIS TARY AND OF PHPK DISCLOSED INAUTHOR-

| _ | | _ | | - | | - | |
 | -

 | | | |
 | |

 | |

 | | | | | |
 | | | | | | | | | | | | | | | | | | |
|--------------|---------------------|---|---|--|--|--|--
--
--
--
---|--|---|---
---|--
--
--
--|------------
--

--|--|--|--|--
--|---|---|---|--|----------------------|---|---|---|--|---|---|---|---|---|--|---|---|---|
| | | | | | | | |
 |

 | | | |
 | |

 | |

 | | | | | |
 | | | | | | | | | | | | | | | | | | |
| 5043 | | | 5039 | BCDC | | | | 5035
 | 5034

 | 5077 | | |
 | 5029 | 5028

 | 5027 | 5026 TEMPERATU

 | 5025 TURBINE | 5024 | 5023 | 5022 | 5021 IEMPERATOR | 5020 IUKBINE
 | 5019 | 5018 | 5017 | 5016 | 5015 TEMPERATU | 5014 TURBINE | 5013 | 5012 | 5011 | | | 5008 | 5007 | 5006 | | | 5003 | 5002 |
| | | | TD-2 | | | | 4 | TD-2
 |

 | 16 | | | ē
 | T) - , |

 | 16 |

 | | 10-2 | 3 | | _ | | | | | | | | | | | | | |
 | þ | TD-2 | | 15 | | N | TD-2 | | 14 | | | TD-2 | | - | | | | TD-5 |
| | | | | | _ | ₩
 | |
 |

 | | -+K
- -
- - | |
 | 92372-B + |

 | - | +K
-

 | | | | | /H6 | K+

 | | |
• | - | +K
 | | 2352-A | | /H6 | |] | | - <u>+</u> - | | _+k
_ _ | | | 1 4-62260 |
| | |)
•
• | 1 | | | | |
 |

 | • | • | • |
 | |

 | |

 | • • | | | • | | · /
 | | 1 | i i | | | • | • | | *
• | | | | ★ ★ ★ ↓ ↓ | • | • | | • | |
| 120 | 120 | 120 |
 | 120 | 120 | 120 | 120 |
 | 120

 | | 1.2 | | 120
 | -
 | 120

 | 120 |

 | 120 | 120 | | 128 | 128 | 128
 | 128 | 128 | -

 26 | 128 | 128 | | | | | 128 | 128 | | -
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
- | | | 128 | 128 | |
| ₩ <u> </u> ` | ¥ ا * | ″ 」
״, | ´ ↓♥
 | | ´ ₹
≤ | | ‴ | ¥

 | ے

 | - = | c | | ן¥
ייי
 | ₩¥
 |

 | ‴ ¦
∽ |) (

 | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | ¦₩
 |
 | · ~ | | | ‴ ¦
 | ‴
≤ | ₩ Į | | ן
 | <u>-</u> ™ <u>-</u> | ן ייי
 | , ™ ,
 | · · · | | I ₩
z : | ₩
≤ | ⊦ ‴
 | | Схг–твл; |
| 5093 | 5092 | 5091 | 5089 | 8800 | 5000 | 5007 | 7086 | 5085
 | 5087

 | | 5081 | 0805 |
 | 5079 | 5078

 | 5077 | 5076

 | 5075 | 5074 | 5073 | 5072 | 5071 | 5070
 | 5069 | 5068 | 5067 | 5066 | 5065 | 5064 | 5063 | 5062 | 5061 | 5060 | 5059 | 5058 | 5057 | 5056 | 5055 | 5054 | 5053 | 5052 |
| | INTERCEPT
SUPPLY | | | | IEMPERAIURE | INTERCEPT
SUPPLY | COLD |
 |

 | | | SUBCOOLER |
 | _ |

 | | TEMPERATURE

 | | | | | | HX-12 HP
 | | | | | INLET
TEMPERATURE | HX-12 HP | | | | OUTLET
TEMPERATURE | PV-22485 | | | | TEMPERATURE | PV-22485
OUTLET | | |
| 12/K20 | | | TD-22392-B | ſ | 12/K20 | | • | rd–22392–A
 |

 | 12/K14 | | 1. |
 | ID-22390-B |

 | 12/K14 |

 | 7
7 | | FD 00 200 A | - | 12/G10 | | | | | | | | | | | | | |
 | | TD-22389-B | | 12/G10 | | ₊ | ۲D-22389-A
۲ | | 12/F7 | | 1+ | ГD—22386—В
Г | | 12/17 | | | | TD-22386-4 |
| - | | | | | _ | | |
 | \langle

 | | | |
 | |

 | - | -

 | | \. | 2 | | | | | | | | | | | | | | | |
 | - — | | | - | | | | | | | | - | | | | | | \geq |
| • | | |) 🔶 | • | | | |
 |

 | | | | •
 | 1 |

 | | ¢

 | | | | | |
 | | | | | | | | | Ø | | • | $\mathbf{\Phi}$ | *-
• | • | | | | |
| ľ | | | ¥

 | Ĭ | × | | | ľ
 |

 | ľ | ľ | Ĭ | Ĭ
 | ۴

 |

 | ľ | ľ

 | ľ | ľ | | Ŵ | Ĭ | ¥
 | | | r``

 | ľ | ľ | ľ | ľ | | ľ | ľ | ľ | ľ | ¥

 | ľ | Ĩ | ľ | Ť | |
| 12D-c | 120-ь | 12D-a | | 12D-Y | 12D-X | 120 | 120 |
 |

 | | 1.20 | | 12D-R
 | | 12D-N

 | 12D- |

 | - -:
12D- | 12D-K | | 12D-J | 120-н | 12D–G
 | 120-F | 12D-E | | - 12D- | 12D- | |
 | | | - 12C- | | | -
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
- | -10 | 12C-X | 12C−W | 12C-V | CXL-1812 |
| | | DIODE V 12C-S SO92 INTERCEPT DIODE V 12C-S SO92 TEMPERATURE | Image: Constraint of the second se | TD-22382-B Image: Constraint of the second | TD-22382-B Image: Constraint of the second | 17/H6 12/K20 12/ | DIODE 12C-L SOR7 TEMPERATURE 12/K20 17/H6 12C-N SO88 SO87 TEMPERATURE 12/K20 10DE 12C-N SO88 12/K20 12/K20 12/K20 10DE 12C-N SO89 10/L SO89 12/K20 10DE 12C-N SO89 10/L SO89 12/K20 10DE 12C-R SO90 10-22392-B 1/L I/L 00DE 12C-R SO91 INTERCEPT DIODE I/L I/L 00DE 12C-R S091 INTERCEPT DIODE I/L I/L 00DE 12C-R S091 INTERCEPT DIODE I/L I/L 17/H6 12C-T S093 INTERCEPT DIODE I/L I/L 17/H6 12C-T S093 I/L I/L I/L I/L | DIODE Image: Cold and the second an | ID-22382-A ID-22392-A 5085 ID-22392-A ID-22392-A ID-22382-A ID-22392-A 5085 INTERCEPT DIODE ID-22392-A ITD-22382-B ID-22392-A ID-22392-A ID-22392-A ID-22392-A ID-22392-A ID-22382-B ID-22392-A ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B ID-22392-B IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE IDDE <td< td=""><td>ID-22382-A IZ-J 5083 DIODE IZ-L 5084 ITD-22382-B IZ-L 5086 ITD-22382-B IZ-L 5086 ITD-22382-B IZ-L 5086 ITD-22382-B IZ-L 5087 ITD-22382-B IZ-L 5087 ITD-22382-B IZ-L 5089 ITD-22382-B IZ-L 5091 ITD-22382-B IZ-L 5092 ITD-22392-B ITD-22392-B ITD-22392-B ITD-22392-B</td><td>16/H6 12C-J 5082 10-22382-A 12C-J 5083 100DE 12C-L 5084 17/H6 12C-L 5086 17/H6 12C-L 5088 10-22382-A 12C-L 5084 17/H6 12C-L 5086 17/H6 12C-L 5087 100DE 12C-L 5088 17/H6 12C-L 5089 100DE 12C-L 5089 112C-L 5089 112C-L 5090 112C-L 5089 100DE 12C-L 5089 112C-L 5091 112C-L 5092 112C-L 5092 112C-L 5093 10DE 112C-L 5093 122C-L 112C-L 5093 122C-L 112C-L 5093 122C-L</td><td>DIDDE 12C-H 5081 TEMPERATURE DIDDE 16/H6 12C-H 5082 12C-H 5082 DIDDE 12C-H 5083 5083 12/K14 DIDDE 12C-H 5083 5083 12/K14 DIDDE 12C-H 5084 10-22392-A 12/K14 17/H6 12C-H 5086 INTERCEPT DIDDE 17/H6 12C-H 5083 5083 12/K14 17/H6 12C-H 5083 5084 10-22392-A 17/H6 12C-H 5083 5089 12/K20 17/H6 12C-T 5091 112C-H 5091 17/H6 12C-T 5093 12/K20 12/K20</td><td>DIODE I2C-C S081 HWEGATURE DIODE I2C-L S081 HWEGATURE DIODE I2/L+L S082 S081 HWEGATURE DIODE I2/L+L S083 S084 I2/L+L S083 S084 I2/L+L S083 S084 I2/L+L S084 I2/L+L S084 I2/L+L S084 I2/L+L S085 S084 I2/L+L S085 S085 S085 S085 S085 S085 S086 S087 S0</td><td>DIODE IncC-G S080 SUBCOOLER DIODE IncC-G S080 SUBCOOLER DIODE IncC-G S081 TEMPERATURE DIODE IncC-G S083 TEMPERATURE DIODE IncC-G S084 TD-22382-A IncC-G S085 S085 S085 S085 S085 S085 S085 S085 S085 S086 S086</td></td<> <td>ID-22372-B ID-22392-A ID-22390-B ID-22390-B ID-22390-B ID-22390-B ID-22390-B ID-22390-C ID-22390-B ID-22390-C ID-22390-C<td>ID-22372-B </td><td>16/H6 12-C 5077 12/K14 0 10-22372-B 12-C 507 12/K14 0 10-22372-B 12-C 507 10-2230-B 0 10-22372-B 12-C 507 508 5079 10-22372-B 12-C 508 5080 5080 10-22382-A 12-C 508 5081 12/K14 0 10-22382-A 12-C 508 5081 12/K14 0 0 10-22382-A 12-C 508 5081 12/K14 0 0 0 10-22382-A 12-C 508 5081 11/K 0 <td< td=""><td>16/H6 Image: Constrained interventioned intervented interventioned interventioned interventione</td><td>DIDE Image: Constraint of the constrai</td><td>0002 0002</td><td>10-23372-M $10-22372-M$ $10-$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$15/46 \qquad \qquad 112/16 \qquad \qquad$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>00000 00000</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td> 3/46</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td></td<></td></td> | ID-22382-A IZ-J 5083 DIODE IZ-L 5084 ITD-22382-B IZ-L 5086 ITD-22382-B IZ-L 5086 ITD-22382-B IZ-L 5086 ITD-22382-B IZ-L 5087 ITD-22382-B IZ-L 5087 ITD-22382-B IZ-L 5089 ITD-22382-B IZ-L 5091 ITD-22382-B IZ-L 5092 ITD-22392-B ITD-22392-B ITD-22392-B ITD-22392-B | 16/H6 12C-J 5082 10-22382-A 12C-J 5083 100DE 12C-L 5084 17/H6 12C-L 5086 17/H6 12C-L 5088 10-22382-A 12C-L 5084 17/H6 12C-L 5086 17/H6 12C-L 5087 100DE 12C-L 5088 17/H6 12C-L 5089 100DE 12C-L 5089 112C-L 5089 112C-L 5090 112C-L 5089 100DE 12C-L 5089 112C-L 5091 112C-L 5092 112C-L 5092 112C-L 5093 10DE 112C-L 5093 122C-L 112C-L 5093 122C-L 112C-L 5093 122C-L | DIDDE 12C-H 5081 TEMPERATURE DIDDE 16/H6 12C-H 5082 12C-H 5082 DIDDE 12C-H 5083 5083 12/K14 DIDDE 12C-H 5083 5083 12/K14 DIDDE 12C-H 5084 10-22392-A 12/K14 17/H6 12C-H 5086 INTERCEPT DIDDE 17/H6 12C-H 5083 5083 12/K14 17/H6 12C-H 5083 5084 10-22392-A 17/H6 12C-H 5083 5089 12/K20 17/H6 12C-T 5091 112C-H 5091 17/H6 12C-T 5093 12/K20 12/K20 | DIODE I2C-C S081 HWEGATURE DIODE I2C-L S081 HWEGATURE DIODE I2/L+L S082 S081 HWEGATURE DIODE I2/L+L S083 S084 I2/L+L S083 S084 I2/L+L S083 S084 I2/L+L S084 I2/L+L S084 I2/L+L S084 I2/L+L S085 S084 I2/L+L S085 S085 S085 S085 S085 S085 S086 S087 S0 | DIODE IncC-G S080 SUBCOOLER DIODE IncC-G S080 SUBCOOLER DIODE IncC-G S081 TEMPERATURE DIODE IncC-G S083 TEMPERATURE DIODE IncC-G S084 TD-22382-A IncC-G S085 S085 S085 S085 S085 S085 S085 S085 S085 S086 S086 | ID-22372-B ID-22392-A ID-22390-B ID-22390-B ID-22390-B ID-22390-B ID-22390-B ID-22390-C ID-22390-B ID-22390-C ID-22390-C <td>ID-22372-B </td> <td>16/H6 12-C 5077 12/K14 0 10-22372-B 12-C 507 12/K14 0 10-22372-B 12-C 507 10-2230-B 0 10-22372-B 12-C 507 508 5079 10-22372-B 12-C 508 5080 5080 10-22382-A 12-C 508 5081 12/K14 0 10-22382-A 12-C 508 5081 12/K14 0 0 10-22382-A 12-C 508 5081 12/K14 0 0 0 10-22382-A 12-C 508 5081 11/K 0 <td< td=""><td>16/H6 Image: Constrained interventioned intervented interventioned interventioned interventione</td><td>DIDE Image: Constraint of the constrai</td><td>0002 0002</td><td>10-23372-M $10-22372-M$ $10-$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$15/46 \qquad \qquad 112/16 \qquad \qquad$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>00000 00000</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td> 3/46</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td></td<></td> | ID-22372-B | 16/H6 12-C 5077 12/K14 0 10-22372-B 12-C 507 12/K14 0 10-22372-B 12-C 507 10-2230-B 0 10-22372-B 12-C 507 508 5079 10-22372-B 12-C 508 5080 5080 10-22382-A 12-C 508 5081 12/K14 0 10-22382-A 12-C 508 5081 12/K14 0 0 10-22382-A 12-C 508 5081 12/K14 0 0 0 10-22382-A 12-C 508 5081 11/K 0 <td< td=""><td>16/H6 Image: Constrained interventioned intervented interventioned interventioned interventione</td><td>DIDE Image: Constraint of the constrai</td><td>0002 0002</td><td>10-23372-M $10-22372-M$ $10-$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$15/46 \qquad \qquad 112/16 \qquad \qquad$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>00000 00000</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td> 3/46</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td><td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td></td<> | 16/H6 Image: Constrained interventioned intervented interventioned interventioned interventione | DIDE Image: Constraint of the constrai | 0002 0002 | 10-23372-M $10-22372-M$ $10-$ | $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | $15/46 \qquad \qquad 112/16 \qquad \qquad$ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | 00000 00000 | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 3/46 | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ |

REL. DATE DIMENSIONS SURFACE TR ENGINEER REVIEWED CHECKED

. LBS WEIGHT DRAWN

ž		_							
TREATMENTS UNLESS NOTED	~		SPW	MJA	SPW	MJA	WORK ORDER	•	
S UNLES	8/30/2016	ĺ	ANGULAR	XX	FRACTION	TOL	NDER		
PRIOR TO SS NOTED.	2016		R	\times		TOLERANCES	CONTRACT NO.	•	
SCALE NONE	В	SIZE		TITLE			ō.		
NONE	15-5	DRAWING NO.		LCLS-I	2111 BUILDER	PHPK	PART NUMBER	•	
	15-5032-1402		PERATURE	1 4.5K LO	S PLACE (TECH	NO. REQ'D	•	INF DRA THE AND IZEL
SHEET	1402		TEMPERATURE SENSORS	LCLS-II 4.5K LOWER COLD BOX	2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	NEXT ASSEMBLY	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
SHEET 5 OF 17	Е	CHG.		Â	0 43204	<i></i>	SIZE	•	V ON THIS ETARY AND OF PHPK DISCLOSED JNAUTHOR-

	DATE -		DW	_	CH'k –	-	ENGF —	R. F	EV'[> -	-																						DES	SCR	ript	101	١															
6044	6043	6042	6041	6040	6039	6038	6037	6036	6035	6034	6033	6032	0001	6071	6030	6029	0020	6028	6027	0700	8038	6025	6024	6023		6022	6021	6020	6019		6010	6017	6016	0010	л ГОЯ	6014	6013	6012	-	6011	6010	6009	6008	6007	6000 7	6006	6005	6004		5003	6002	6001
		IURBINE I INLET TEMPERATURE	TI IPPINE 1				TEMPERATURE	TURBINE 1					TEMPERATURE							IEMPERAIURE		НХ- 4 НР					TEMPERATURE	HX-3 HP						TEMPERATURE	HX-3 HP						TEMPERATURE	HX-12 HP					IEMPERATURE		HX-12 HP			
	14/E7			TD-22432-B					V			10/F10 \	╈	Ĵ+ -		TD-22430-B			10/F10		K-		TD-22430-A				- -			TD-22425-B			10/D10				TD-22425-A	× ,		12/H12				TD_99707_B						TD-22393-A		
					÷	•	★ ● *	* •	* •			• ; • () • ;	•	* •			★ ● ¥ 			•			* •		* (•				•	★ ● ● ● ● ● ● ● ●			₹ ● ¥	•		* •		•	• •) () / •	•	*	•				•			* •		
		· – – –			 						 1:	 7			 		 	 - <u>-</u> -			13	 			 			 14	13A–R	 ç	_ _ - ≰₩	13A-N	13A		13A-L	- 13A			13A-J	13А-н				 	 		1.34−C	13A-B	I JA			5
13B–J	13В-Н	13B-G	138-F	13B-E	- <u>-</u> →				13B-A		13A-d	13A-c	↓ ↓	1.3A-h	13A-a			13A-Y		1.3A-X	13A-W	A V			13Ă–U	₩ ³	1.3A−T	143–S	R R	₩ _	.₩	z₹	<u> </u>		₽₩	ĺ.	₩		į₩	Γ T	₩ 2		13A−F	- 13А-Е	13A-D	₩.	ſ₩		* I ≯	×		(_TR1 3
13B_J	13B-H	13B-C	138-F	13B-E	- →	¥.			JB-A		3A-d	SA-c	↓ ¦	3А-ь	34-0			3А-ү	 	× ×	A-W	A-V			3Ă–U	₩ <u>-</u> 		S-S	* 1 [×] R	₩ <u>1</u> 		'z [™]			<u>`</u> ₩	· 1	¥ 		í¥	1 1	₩ ;		¥ ↓ 			₩ . 			* ↓ 	, *		(L-TR13
13B-J 6094				13B-E 6090		6088	6087	6086	6085	6084	3A-d 6083	5A-c 6082				6079		3A-Y 6028	6027	A-x 00/6		A-V 6075	6074	6073		→ · · · · · · · · · · · · · · · · · · ·	6071	3–S – 6070	5069 6069			–N – 6067	-M 6066			1-X 6064	€063	6062			€060	6059	6058	A-E 6057			€055 f	-B 6054			6052	
L L L	5093		6091			8809		6086	6085	6084			 000							60/6		6075		6073			6071		6069				6066			6064				6061		6059					6055					
L	5093	6092	6091 20K	0900		8809	6087 TEMPERATURE	6086 ADSORBER	6085				 000	TURBINE 2	6080	6079				60/6 IEMPERATURE		6075	6074				6071 TEMPERATURE	6070	6069				6066	8085 TEMPERATURE	рор р	6064	6063	6062		6061	6060	6059 HX-5 HP	6058	6057			6055 IEMPERAIURE	6054		р р р л ч	6052	
 	5093	6092 ADSORBER	6091 20K			8809	6087 TEMPERATURE	6086 ADSORBER	6085			6082	TEMPERATURE	TURBINE 2	6080				6027	60/6 IEMPERATURE		6075				6072 10/L10	6071 TEMPERATURE	6070 REDISTRIBUTION	6069				6066	8085 TEMPERATURE	HX-6/7	6064		6062		5051	6060 TEMPERATURE	6059 HX-5 HP		6057		5056	6055 IEMPERAIURE	6054 OUTLET			6052	6051 (I – TB1 3
 	5093 IEMPERAIURE 11/F7		6091 20K	6090 TD-22461-B		8809	6087 TEMPERATURE	6086 ADSORBER	6085		6083	6082 15/E7	TEMPERATURE	TURBINE 2		6079 TD-22452-B		6028	6027 15/E7	60/6 IEMPERATURE			6074			6072 10/L10	6071 TEMPERATURE	6070 REDISTRIBUTION	6909				6066 10/L10 I	8085 TEMPERATURE	HX-6/7	6064	6063	6062		6061 10/H10	6060 TEMPERATURE	6059 HX-5 HP	6058	6057		5056	6055 IEMPERAIURE			р р р л ч	6052	


REL. DATE DIMENSIONS SURFACE TR ENGINEER REVIEWED CHECKED

. LBS WEIGHT DRAWN

		_							
TREATMENTS UNLESS NOTED			SPW	MJA	SPW	MJA	WORK ORDER		
S UNLES	8/30/2016		ANGULAR	.xx . XX	FRACTION	TOL	DER		
PRIOR TO SS NOTED.	2016		AR	\star	N	TOLERANCES	CONTRACT NO.		
SCALE NONE	В	SIZE		TITLE			ō.		
NONE	15-	DRAWING NO.		LCLS-I	2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER	•	
	15-5032-1402		IPERATURE	1 4.5K LO	S PLACE O	TECHN	NO. REQ'D	•	INFA DRA THE AND OR IZEC
SHEET	1402		TEMPERATURE SENSORS	LCLS-II 4.5K LOWER COLD BOX	CLUMBUS, OH	VOLOGIES	NEXT ASSEMBLY	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
SHEET 6 OF 17	E	CHG.		×	0 43204		<pre> SIZE </pre>	•	N ON THIS ETARY AND / OF PHPK DISCLOSED UNAUTHOR-

G.	DATE -	DWN.	СН'КD. —	ENGR. –	REV'D	-													ESCR													
7045	7042 7043 7044	7040 7041	7039	7037	7035 7036	7033 7034	7031 7032	7030	7029	7027	7026	7024 7025	7023	7022	7020	7019	7018	7017	7016	7015	7013 7014	7012	7011	7010	7009	7008	7007	7006	7005	7004	7002	7007
	INLET TEMPERATURE	TURBINE 3		TEMPERATURE			REDISTIBUTIÓN TEMPERATURE	HX-B/9			HX-8/9 REDISTIBUTION TEMPERATURE			IEMPERAIURE	ADSORBER OUTLET	200			OUTLET	ADSORBER				INLET TEMPERATURE	20K ADSORBER				AUSURBER INLET	ADSOBBED		
																					TD-22466-A	```				TD-22464-B	·				TD-22464-A	
				130-W			13D-S			- 136-M			130 ⁻ -J								13D-A							13C-X				CXL-TB13
		7090 7091	7088 7089	130-W 7000 LIQUID RETURN 7087 TEMPERATUREE	7085	7083	13D-S 7081 BYPASS 13D-T 7082	7080		7077		7074		7071		7069			2007 2066					7060	7059 HX-10 HP			7056		7053		
	7092 TEMPERATUREE 12/18	7090 TD- 7091 DEWAR	7088 7089	7087	7085 TD-22194-A	7083	7081 TEMPERATURE DIODE	7080 TURBINE 4		7077 12/F10	7076	7074 TD-22487-A	7073	7071		7069	7068		7065 TEMPERATURE			7062		7060 TEMPERATURE	7059 HX-10 HP		7057 一个 -	7056 12/E11		7053 HX-10 HP		

-		_							
TREATMENTS UNLESS NOTED			SPW	MJA	SPW	MJA	WORK ORDER	•	
S UNLES	8/30/2016	ĺ	ANGULAR	××	FRACTION	TOL	NDER		
PRIOR TO SS NOTED.	2016		R	+	JN V	TOLERANCES	CONTRACT NO.	•	
SCALE NONE	В	SIZE		TITLE		-	٥.		
NONE	15-	DRAWING NO.		LCLS-I	2111 BUILDER	PHPK	PART NUMBER	•	
	15-5032-1402		PERATURE	1 4.5K LO	S PLACE O	TECHN	NO. REQ'D	•	INFA DRA THE AND OR IZEE
SHEET	1402		TEMPERATURE SENSORS	LCLS-II 4.5K LOWER COLD BOX	2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	NEXT ASSEMBLY	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
SHEET 7 OF 17	Е	CHG.			0 43204	.	SIZE	•	V ON THIS ETARY AND OISCLOSED JNAUTHOR-




. LBS WEIGHT DRAWN CHECKED ENGINEER REVIEWED REL. DATE DIMENSION SURFACE 1

- Ž		+			+					
TREATMENTS UNLESS NOTED	~		SPW	MJA		SPW	MJA	WORK ORDER		
S UNLES	8/30/2016		ANGULAR	×××	×	FRACTION	TOL	DER		
S NOTE	2016		R	\downarrow	_	N	TOLERANCES	CONTRACT NO.		
μo			\rightarrow	\uparrow	<u> </u>	\setminus	5	ACT	•	
SCALE	В	SIZE		F	JULL			۰.		
SCALE NONE	15-	DRAWING NO.		LCLS-		2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER	•	
	15-5032-1402		RTD INPUTS	LCLS-II 4.5K LOWER COLD BOX		RS PLACE (TECHI	NO. REQ'D NEXT ASSEMBLY	•	
	140		SLDe	MER C				NEXT		INFORMATION DRAWING IS I THE SOLE PR AND IS NOT OR TRANSMITI IZED PARTIES.
SHEET 8 OF 17	2		-	OLD BOX	2	BUS, OHIO	OGIES	ASSEMBLY	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
OF 17	Е	CHG.				43204		SIZE	•	on This Jary and Of Phpk ISCLOSED VAUTHOR-

HG.		DATE		DWN	_	_	ENGR		V'D												F	REV	'IS	101	١S	DE	SCR	IPTIC	N												
4		-5-20 9043		MJA 9041	9040		MJA 9037	9036	JA 9035			R LIQ		8 RE(9023	9022	9021	9020	9019	9018	9017	9016	9015	9014	9013	9011	9010	6006	8006	9007	9006	9005	9004	5006	9002	9001
	5		IZ ZUK ADS Pt		TP-22465-A-F → 🔶 -			20k ADS HFATFR	55 TP-22465-A-E			HEATER Pt	20k ADS	TP-22465-A-D		11/c8	TEMPERATURE	20k ADS HFATFR B+	24 TP-22465-A-C / /		11/68		20K ADS	9 TP-22465-A-B			TEMPERATURE	20K ADS	4 TP-22465-A-A // ()		TEMPERATURE 12/K16	HEATER D Pt	H H	TP-22195D-D		TEMPERATURE 12/K16	HEATER D Pt	LHe	J3 TP-22195D-C √ € €	32	1
G606		9093				9088	15B-C 9087	9086	9085			9081	9080		9078	A-ACI X-ACI	9076	1 15A-W 9075	9074	15Å-U 9073	9072		15A-R 9070			15A-M 9067			9063	15A_J 9062	15А-Н 9061	15A-G 9060								CXL-TB15 9052	9051
											11/68			TP-22465-B-F		11/68	TEMPERATURE Pt	20k ADS	TP-22465-B-E		11/G8		20k ADS	TP-22465-B-D	●		TEMPERATURE	20k ADS	TP-22465-B-C		11/G8	HEATER Pt	20k ADS	TP-22465-B-B	——————————————————————————————————————	11/G8	TEMPERATURE Pt	20k ADS	TP-22465-B-A	×	
										15C-J	15С-н	15C-G	15C-F	15C-E		15C-C	15AC−B			15B-d						- 15 <u>-</u> - 15 <u>-</u> 	15B-X	15B-W	 15B-V		15B-T	158–S	158–R	158−P	— 158–N	158-M				CXL-TB15	


- LBS WEIGHT DRAWN CHECKED ENGINEER REVIEWED DIMENSIONS SURFACE TR

ž	-	-			_					
TREATMENTS UNLESS NOTED			SPW	MUM		SPW	MJA	WORK ORDER		
S UNLES	10/5/2016		ANGULAR	XX	.X	FRACTION	TOLE	NDER		
S NOTED.	016		R	>	<	Ż	TOLERANCES	CONTRACT NO.	•	
Ĺ			4			K		H NC		
SCALE	В	SIZE			틥					
SCALE NONE	15-	DRAWING NO.		LCLS-	- 2	2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER	•	
	15-5032-1402		RTD INPUTS	LULS-II 4.5K LUWER CULD BUX		S PLACE (TECHI	NO. REQ'D	•	
	-1402		PUTS	WER CO			UDI O	NEXT A		INFORMATION DRAWING IS I THE SOLE PR AND IS NOT OR TRANSMITT OR TRANSMITT
SHEET 9 OF 17				ND ROX		JS, OHIO	GIES	NEXT ASSEMBLY	•	SHOWN PROPRIE COPERTY TO BE I ED TO U
OF 17	E	CHG.				43204		SIZE	•	I ON THIS TARY AND OF PHPK DISCLOSED INAUTHOR-




. LBS WEIGHT DRAWN CHECKED ENGINEER REVIEWED REVIEWED DIMENSION SURFACE

<u>Z</u>		+			+					
TREATMENTS UNLESS NOTED.	_		SPW	MJA		SPW	MJA	WORK ORDER	•	
S UNLES	10/5/2016		ANGULAR	XXX	×	FRACTION	Тоц	DER		
S NOTED	016	ŀ	R	+	_	Ž	TOLERANCES	CONTRACT NO.		
Ŀ			4			K		CTN	-	
SCALE NONE	В	SIZE		F	≣					
NONE		DRAWI				2111	ΡĮ	PART		
	<u> </u>	DRAWING NO.				2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER	•	
	Ĩ СЛ			S-II		DERS				
	15-5032-1402		ANALOG INPUTS	4.5K		PZ	PEC	NO. REQ'D NEXT ASSEMBLY		
	2-		G 	5			HN	םימי		
	140		PUT	VER (10	NEXT		INFORMATION DRAWING IS I THE SOLE PR AND IS NOT OR TRANSMITI IZED PARTIES.
£)2		ျပ	COLD		BUS,	00	ASSE	•	PROPROS
SHEET 10 OF 17				LCLS-II 4.5K LOWER COLD BOX		OHO	IES	MBLY		INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
0 OF	Ħ	CHG.		-) 432		6		TARY NAUTH
17	[-]	Ģ.				204		SIZE	•	, This Phpk Nord




. LBS WEIGHT DRAWN CHECKED ENGINEER REVIEWED REL. DATE DIMENSION SURFACE

ž		-+			+					
TREATMENTS UNLESS NOTED.	00		SPW	MJA		SPW	MJA	WORK ORDER	•	
S UNLES	8/30/2016		ANGULAR	XXX	×	FRACTION	Tole	DER		
S NOTED	016		R	+	_	2 	TOLERANCES	CONTRACT NO.		
			4		, ⊒	K		T NO.		
SCALE NONE	В	SIZE		F	키					
NONE		DRAWING NO.				2111	ΡH	PART NUMBER		
	 ပ	G NO.		FCT S		2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	UMBER		
	15-5032-1402		ANAL	LCLS-II 4.5K LOWER COLD BOX		RS PL	TE	NO.		
	32-		0000	× LO		ACEO	CHN	REQ'D		
	140		ANALOG OUTPUTS	MER C				NEXT		WING IS NC
SHEE	\sim		ഗ 	ÖLD		BUS, 0	OGT	NO. REQ'D NEXT ASSEMBLY	•	NFORMATION SHOWN ON DRAWING IS PROPRIETARY THE SOLE PROPERTY OF TO BE DISC OR TRANSMITTED TO UNAUT ZED PARTIES.
				BOX		OHO	N.	BLY		OWN C PRIETAL 3E DIS 3E DIS
SHEET 11 OF 17	Ħ	CHG.				43204		SIZE	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.



IREAIMENI	S ARE PR	æ	SPW	MJA	SPW	MJA	WORK OF			
S UNLESS A	IS ARE PROVIDED PRIOR TO	8/30/2016	ANGULAR	.xxx	FRACTION	TOLERANCES	ORDER CO			
Ľ					K	NCES	CONTRACT NO.	•		
	┉	Ð		Ľ.				_		
		15-5032-1402		LCLS-II 4.5K LOWER COLD	7.0	PHPK	PART NUMBER			
		503	ANALOG INPUTS	4.5k	S PLACE	UEL L	NO. RI			
		$2 - \frac{1}{2}$	G	LOV	CE O	HN	REQ'D		INFO AND IZED	
		140	PUT	IER (COLUMBUS,	.10	NEXT		RANSIN PARTI	
SHEET)2		COLD BOX	BUS, OHIO	TECHNOLOGIES	ASSEMBLY	•	INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.	
	² 1	E E	2		0 43204		s s	_	I ON TARY DISCLO	
-	1 '	r⊐ c			04		SIZE	•	ORED AND	



REATMENTS UNLESS NOTED.			SPW		M. 1A	SPW	MJA	WORK ORDER		
S UNLES	8/30/2016		ANGULAR	.xxx	.XX	FRACTION	TOLE			
RIOR TO S NOTED.	016		2	>	K		TOLERANCES	CONTRACT NO.	•	
SCALE	в	SIZE						NO.		
SCALE NONE	15-5	DRAWING NO.				2111 BUILDER	PHPK	PART NUMBER		
	15-5032-1402		ANALOG OUTPUTS			S PLACE	TECHI	NO. REQ'D	•	
SHEET 1	-1402		SIDUID	LULS-11 4.3K LUWER CULU BUX		2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	NO. REQ'D NEXT ASSEMBLY		
SHEET 13 OF 16	F	CHG.				0 43204	• •	SIZE	•	

TURBINE 2 OUTLET VALVE (SHIELDS) 10/J13

WARM SHIELDS SUPPLY VALVE (FROM T1) 10/G3


TURBINE 1 OUTLET VALVE (SHIELDS) 10/16

WARM SHIELDS RETURN AT 80K

rm shields Valve

DEWAR VAPOR RETURN VALVE

LHE FROM DEWAR



S ARE PROVIDED PRIOR TO SCALE NONE SHEET 14	^{8/30/2016} B 15-5032-1402	SIZE DRAWING NO.	SPW ANGULAR ANALOG OUTPUTS			MUA TOLERANCES PHPK TECHNOLOGIES	WORK ORDER CONTRACT NO. PART NUMBER NO. REQ'D NEXT ASSEMBLY	· · · ·	
SHEET 14 OF 17	E	CHG.		ח החע	S, OHIO 43204	GIES	SSEMBLY SIZE	•	

20K ADSORBER BYPASS VALVE

TURBINE 2 INLET VALVE 15/E5

WARM SHIELDS SUPPLY (T1 BYPASS) 10/G9

DEWAR SUPPLY VALVE 12/H5


TURBINE 1 INLET VALVE

																								RE	VIS	5101	١S																
CHG.	-	DA		0	WN.	Сн'	'KD. -	ENG	R. F	REV'E) _																	D	ESC	RIPTI	N												
	15045	15043	15042	15041	15040	15039	15038	15037	15036	15035	15034		15032	15031	15030	15029	15028	15027	15026	15025	15024	15023	15022	15021	15020	15019	15018	15017	15016	15015	15013	15012	15011	15010	15009	15008	15007	15006	15005	15004	15003	15002	15001
												CXL1516				£	CXL1514	CXL1513		SH	CXL1512	CXL1511		SH	CXL1510	CXL1509		SH (×				×		+-		H]			SH (×			CXL-TB10
) 										 				
																														22485)		22482	PV)		224/2	PV)		22466	PV)
																													12/F9	TURBINE 4 BYPASS VALVE			17/F5	TURBINE 4 INLET			16/E5	TURBINE 3 INLET VALVE			11/J8	20K ADSORBER	
	15094	15093	15092	15091	15090	15089	15088	15087	15086	15085	15084	15083	15082	15081	15080	15079	15078	15077	15076	15075	15074	15073	15072	15071	15070	15069	15068	15067	15066	15065	15063	15062			15059	15058	15057	15056	15055	15054	15053	15052	15051


INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND DRAWING IS PROPRIETARY AND AND IS NOT TO BE DISCLOSED OR TRAVISITIED TO UNAUTHOR-IZED PARTIES.

	IS ARE PRO	0		SPW	MJA		SPW	MJA	WORK ORDER	•	
	IS ARE PROVIDED PRIOR TO TREATMENTS UNLESS NOTED.	8/30/2016		ANGULAR	.xxx	×	FRACTION	TOLE	DER		
		016		R	\mathbf{i}	<	N	TOLERANCES	CONTRACT NO.	•	
	SCALE NONE	В	SIZE		F	TITE			NO.		
	NONE	15-5	DRAWING NO.		LCLS-I		2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER	•	
		15-5032-1402		ANALOG OUTPUTS	LCLS-II 4.5K LOWER COLD BOX		S PLACE O	TECHN	NO. REQ'D	•	
		140			WER C	,		VIOI.			
	SHEET 15 OF 17	2			OLD BOX		US, OHIO)GIES	NEXT ASSEMBLY	•	
	5 OF 17	F	CHG.				43204		SIZE	•	

																						RI	EVI	SIC	ON	S															
CHG.		DA	TE		DWN.	СН	'KD.	ENGR	. RE	V'D																	DESC	RIP	ION												
-		-	-		-		-	-			-																														
16045	16044	16043	16042	16041	16040	16039	16038	16037	16036	16034	16033	16032	16031	16030	16020	16025	16026 16027	CZ091	16024	16023	16022	16021	16020	16019	16018	16017	16016	16015	16013	16012	16011	16010	16009	16008	16007	16006	16005	16004	16003	16002	16001
																		VALVE	TURBINE 2 OUTLET								T1)	SUPPLY	WARM							(SHIELDS)	VALVE	TURBINE #1			
								ZSL-22378 CLOSED	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		ZSH-22378	OPEN					CI OSED		15/H6	ZSH-22358	OPEN					ZSL-22245 CLOSED		10/J6	ZSH-22245	OPEN					ZSL-22242	~	10/16	24277-HC7	OPEN 751-22222		
									CXL1615				CXL1613		CXL1612			+ CXL1611				CXL1609]	CXL1608			CXL1607				CXL1605		CXL1604			CXL1603	[+ CXL1602			



-						-	_		1
DIMENSIO	REL. DATE		REVIEWED	ENGINEER	CHECKED	DRAWN	WEIGHT	. LBS	
DIMENSIONS ARE PROVIDED PRIOR TO SURFACE TREATMENTS UNLESS NOTED.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		SPW	MJA	SPW	MJA	WORK ORDER		
S UNLESS	8/30/2016		ANGULAR	.xx ×	FRACTION	TOLER			
NOTED.	16			+	$\left\{ \right.$	TOLERANCES	CONTRACT NO.		
SCALE	В	SIZE		TITLE		-	ē		
NONE	15–	DRAWING NO.		LCLS-	2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES	PART NUMBER		
	15-5032-1402		DIGITAL INPUTS	LCLS-II 4.5K LOWER COLD BOX	S PLACE	TECH	NO. REQ'D NEXT ASSEMBLY		
	-140		INPUTS	WER C	COLUMB	NOLC	NEXT		INFORMATION DRAWING IS I THE SOLE PR AND IS NOT OR TRANSMITTI OR TRANSMITTI
SHEET 16	2		-	old box	US, OHIO)GIES	ASSEMBLY		INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
16 of 17	Е	CHG.			43204		SIZE	•	on This Ary and Of Phpk Isclosed Mauthor-



DIMENSIC	rel. Date	REVIEWED	ENGINEER	CHECKED	DRAWN	WEIGHT	. LBS
----------	-----------	----------	----------	---------	-------	--------	-------

٦Ž		-		-	+					
TREATMENTS UNLESS NOTED			SPW	MJA		SPW	MJA	WORK ORDER		
S UNLES	8/30/2016		ANGULAR	XXX	×	FRACTION	TOL	DER		
SS NOTED.	2016		R	+	_	Ž	TOLERANCES	CONTRACT NO.	•	
S	L		4		ᅴ	\mathbb{N}		TNO		
CALE	В	SIZE		F	ΞF			·		
SCALE NONE		DRAWING NO.				2111	ΡH	PART NUMBER	•	
	15-5032-1402	NO.		LCLS-II 4.5K LOWER COLD BOX		2111 BUILDERS PLACE COLUMBUS, OHIO 43204	PHPK TECHNOLOGIES			
	503		SOLENOID OUTPUTS	4.5			TEC	NO. REQ'D NEXT ASSEMBLY	•	
	$\frac{1}{2}$		B	6		CE C	NH.	EQ'D		INFC DRA OR IZED
	140		UTPL	VER (101	NEXT		INFORMATION DRAWING IS I THE SOLE PR AND IS NOT OR TRANSMITTI OR TRANSMITTI
SHE)2		TS	COLD		BUS,	06	ASSE	•	PROPRO
E 17				BOX		OHO	N.H.	MBLY		INFORMATION SHOWN ON DRAWING IS PROPRIETARY THE SOLE PROPERTY OF AND IS NOT TO BE DISC OR TRANSMITTED TO UNAUT IZED PARTIES.
SHEET 17 OF 17	F	CHG.				432(S		INFORMATION SHOWN ON THIS DRAWING IS PROPRIETARY AND THE SOLE PROPERTY OF PHPK AND IS NOT TO BE DISCLOSED OR TRANSMITTED TO UNAUTHOR- IZED PARTIES.
17						04		SIZE	•	THIS PHPK OSED THOR-